

Amendments to the Specification:

Please amend the paragraph (section) beginning on page 6, at line 27 as shown below:

The preferred ferromagnetic composition also includes a photoinitiator in an amount of about 1 % to 10 % of the total weight of the ferromagnetic composition of the ferromagnetic composition. The photoinitiator is more preferably present in an amount of about 2 % to 6 % of the total weight of the ferromagnetic composition, and most preferably about 4.5% of the total weight of the ferromagnetic composition. Suitable photoinitiators include Irgacure 184 (1-hydroxycyclohexyl phenyl ketone), Irgacure 907 (2-methyl-1-[4-(methylthio)phenyl]-2-morpholino propan-1-one), Irgacure 369 (2-benzyl-2-N,N-dimethylamino-1-(4-morpholinophenyl)-1-butanone), Irgacure 500 (the combination of 50% by weight 1-hydroxy cyclohexyl phenyl ketone and 50 % by weight benzophenone), Irgacure 651 (2,2-dimethoxy-2-phenyl acetophenone), Irgacure 1700 (the combination of 25 % by weight bis(2,6-dimethoxybenzoyl-2,4,4-trimethyl pentyl) phosphine oxide, and 75% by weight 2-hydroxy-2-methyl-1-phenyl-propan-1-one), Darocur 1173 (~~2-hydroxy-2-methyl-1-phenyl-1-propane~~) (2-hydroxy-2-methyl-1-phenyl-1-propanone) and Darocur 4265 (the combination of 50% by weight 2,4,6-trimethylbenzoyldiphenyl-phosphine oxide, and 50% by weight 2-hydroxy 2-methyl-1-phenyl-propan-1-one), available commercially from Ciba-Geigy Corp., Tarrytown, N.Y.; CYRACURE UVI-6974 (mixed triaryl sulfonium hexafluoroantimonate salts) and CYRACURE UVI-6990 (mixed triaryl sulfonium hexafluorophosphate salts) available commercially from Union Carbide Chemicals and Plastics Co. Inc., Danbury, Conn.; and Genocure CQ, Genocure BOK, and Genocure M.F., commercially available from Rahn Radiation Curing. The preferred photoinitiator is Irgacure 1700 commercially available from Ciba-Geigy of Tarrytown, New York. Combinations of these materials may also be employed herein.